



HP DesignJet T100 Printer series

The world's smallest plotters¹ – making it easy to print big



The perfect fit – for your office and budget

- Save space by placing the world's smallest plotters wherever they fit best in your office.¹
- Save time by connecting and printing right away with built-in Wi-Fi.
- Save money by printing in-house with HP's most affordable plotters.²

Radically simple – from setup to printout

- Speed up your PDF printing process with free HP Click software.
- Easily access your files from cloud folders and print them using your smartphone with the HP Smart app.
- Impress your clients with beautifully designed posters using the free and intuitive HP Poster Web app.

DesignJet quality – from the most trusted brand³

- Meet client expectations with high-quality, high-speed A1/D-size printing, as fast as 35 seconds.⁴
- Get perfectly matched colour on both small- and large-format prints thanks to the built-in A3/A4 tray.
- Convey your ideas with bold images, sharp lines on plain paper for any application with HP Bright Office Inks.

For more information, please visit <http://www.hp.com/go/designjett100>

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: <http://www.hp.com/go/learnaboutsupplies>

¹ Most compact footprint based on competitive alternatives with comparable size and features as of February 2019.

² Compared to other HP DesignJet T-series plotters, as of February 2019.

³ Compared to other large-format technical printers' brands among micro and small business decision-makers. Based on results from the LFD Brand Health Study led by LightSpeed, as of January 2019.

⁴ The HP DesignJet T130 24-inch Printer, available from authorised HP resellers, delivers A1/D prints as fast as 35 seconds. The HP DesignJet T125 24-inch Printer delivers A1/D prints as fast as 45 seconds. The HP DesignJet T100 24-inch Printer delivers A1/D prints as fast as 70 seconds.

Technical specifications

Print	
Print speed	T125: 45 sec/page on A1 (D), 60 A1 (D) prints per hour T130: 35 sec/page on A1 (D), 70 A1 (D) prints per hour ¹
Print resolution	Up to 1200 x 1200 optimised dpi
Technology	HP Thermal Inkjet
Margins	Roll: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in) Sheet: 5 x 5 x 5 mm (0.2 x 0.2 x 0.2 in)
Ink types	Dye-based (C, M, Y); pigment-based (K)
Ink drop	5.5 pl (C, M, Y); 12 pl (K)
Printheads	1 (cyan, magenta, yellow, black)
Printhead nozzles	1376
Line accuracy	±0.1% ²
Minimum line width	0.04 mm (0.0016 in) (HP-GL/2 addressable);
Max optical density	8 L* min/2.10 D ³
Media	
Handling	Sheet feed, Roll feed, Input tray, Automatic horizontal cutter
Sheet size	Input tray: 210 x 279 to 330 x 482 mm (8.3 x 11 to 13 x 19 in) Manual feed: 330 x 482 to 610 x 1897 mm (13 x 19 to 24 x 74.7 in)
Roll size	279 to 610 mm (11 to 24 in) rolls
Standard sheets	Input tray: A4, A3 Manual feed: A2, A1
Grammage	60 to 280 g/m ² (roll/manual feed); 60 to 220 g/m ² (input tray)
Thickness	Up to 0.3 mm (Up to 11.8 mil)
Applications	
	Line drawings; Presentations; Renderings
Memory	
	256 MB;
Connectivity	
Interfaces	Fast Ethernet (100Base-T), Hi-Speed USB 2.0, Wi-Fi
Print languages (standard)	JPEG
Printing paths	Windows printer drivers, HP Print Service Plugin for Android, HP Print for Chrome for Chrome OS
Drivers	Raster driver for Windows
Dimensions (w x d x h)	
Printer	987 x 530 x 285 mm (38.9 x 20.9 x 11.2 in)
Shipping	1130 x 610 x 405 mm (44.5 x 24 x 15.9 in)
Weight	
Printer	25 kg (55.1 lb)
Shipping	28.5 kg (62.8 lb)
What's in the box	
	HP DesignJet T100 series printer, printhead, introductory ink cartridges, quick reference guide, setup poster, power cord
HP Software and solutions	
	HP Click, HP DesignJet Utility for Windows, HP Smart app, HP Poster Web app
Environmental ranges	
Operating temperature	5 to 40°C (41 to 104°F)
Operating humidity	20 to 80% RH
Storage temperature	-25 to 55°C (-13 to 131°F)
Acoustics	
Sound pressure	45 dB(A) (operating); < 16 dB(A) (idle);
Sound power	6.2 B(A) (operating); < 3.4 B(A) (idle);
Power	
Consumption	< 35 W (printing), < 6 W (ready), < 4.5 W (sleep), < 0.3 W (standby)
Requirements	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Certification	
Safety	EU (LVD and EN 60950-1 compliant); Russia, Belarus, Kazakhstan (EAC)
Electromagnetic	Compliant with Class B requirements, including: EU (EMC/R&TTE Directives)
Environmental	ENERGY STAR; WEEE; EU RoHS; REACH; EuP; EPEAT
Warranty	
	T125: One-year limited hardware warranty; T130: Two-year limited hardware warranty

Ordering information

Product	
SZY57A	HP DesignJet T125 24-in Printer
SZY58A	HP DesignJet T130 24-in Printer
Accessories	
6TX91A	HP DesignJet T100/T500 24-in Printer Stand
B3Q36A	HP DesignJet T120/T520 24-in Spindle
Original HP printing supplies	
P2V31A	HP 711 2-pack 80-ml Black DesignJet Ink Cartridges
P2V32A	HP 711 3-pack 29-ml Cyan/Magenta/Yellow Ink Cartridges
Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit hp.com/go/OriginalHPInks .	
Original HP large format printing materials	
Q1396A HP Universal Bond Paper (FSC® certified) ⁴ (recyclable) ⁵ 610 mm x 45.7 m (24 in x 150 ft)	
C6019B HP Coated Paper (FSC® certified) ⁴ (recyclable) ⁵ 610 mm x 45.7 m (24 in x 150 ft)	
C6029C HP Heavyweight Coated Paper (FSC® certified) ⁴ (recyclable) ⁵ 610 mm x 30.5 m (24 in x 100 ft)	
COF18A HP Everyday Adhesive Matte Polypropylene, 2 Pack (recyclable) ⁵ 610 mm x 22.9 m (24 in x 75 ft)	
For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com .	
Service and Support	
UC2D6E HP 2y Nbd Onsite HP DesignJet T125 HWS UC2D7E HP 3y Nbd Onsite HP DesignJet T125 HWS UC1H8E HP 4y Nbd Onsite HP DesignJet T125 HWS UC1H9E HP 5y Nbd Onsite HP DesignJet T125 HWS UC1JOPE HP 1y PW Nbd DesignJet T125 HWS UC1J1PE HP 2y PW Nbd DesignJet T125 HWS UC1J3E HP 3y Nbd Onsite HP DesignJet T130 HWS UC1J4E HP 4y Nbd Onsite HP DesignJet T130 HWS UC1J5E HP 5y Nbd Onsite HP DesignJet T130 HWS UC1J6PE HP 1y PW Nbd DesignJet T130 HWS UC1J7PE HP 2y PW Nbd DesignJet T130 HWS	
HP DesignJet Support Services offer installation, maintenance, and extended support services (e.g. 2, 3, 4 and 5 years). For more information, please visit hp.com/go/cpc	
ECO highlights	
<ul style="list-style-type: none"> ENERGY STAR® certified¹ and EPEAT® registered² Free, convenient HP ink cartridge recycling³ FSC®-certified papers⁴ and a range of recyclable HP media with a take-back program⁵ 	
Please recycle large-format printing hardware and printing supplies. Find out how at our website: http://www.hp.com/ecosolutions	
¹ ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. ² EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ³ Program availability varies. Please check http://www.hp.com/recycle for details. ⁴ BMG trademark license code FSC®-C115319, see http://www.fsc.org . HP trademark license code FSC®-C017543, see http://www.fsc.org . Not all FSC®-certified products are available in all regions. ⁵ Many HP printing materials are recyclable through commonly available recycling programs. For information about HP large format printing materials, please visit http://www.HPLFMedia.com .	
¹ Mechanical printing time. Printed in Fast mode, using HP Bright White Inkjet Paper (bond) and Original HP inks. ² ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Heavyweight Coated roll feed and Original HP inks. ³ With HP Premium Instant Dry Photo Gloss media with Original HP inks.	

