

PIXMA G2460

HIGH YIELD, ECONOMICAL PRINTING AT DEADLINE- BEATING SPEEDS

Entry level, refillable ink tank multifunctional printer featuring fast print speeds and usability improvements – ideal for home, student or office use.



- **Endless low-cost printing**
Keep on printing while keeping costs down thanks to huge yields of up to 12,000 pages (26% more in Economy mode³) from 2 black ink bottles, or 7,700 pages with a single set of colour bottles¹
- **High speed, high quality**
Depend on quality at high speed (10.8 ipm in black / 6 ipm in colour²), with pigment black ink ensuring pin-sharp text and dye colour inks delivering vivid colour photos
- **Easy maintenance**
Minimise downtime and meet every deadline with ease, with a user-replaceable maintenance cartridge that ensures dependable, day after day performance
- **Thoughtful design**
Refill ink tanks without fuss or effort using handy non-squeeze bottles with unique key type nozzles that ensure each ink bottle can only refill its equivalent tank
- **Get creative**
Experiment with diverse media types and sizes including magnetic photo paper, restickable photo paper, or even print your own banners up to 1.2 metres in length



Fast Printing



Borderless Photo Printing



Integrated Ink Tanks



Replaceable ink maintenance cartridge



1,200mm Banner Printing



Hybrid Ink System

PRODUCT RANGE



PIXMA G3411



PIXMA G2460



PIXMA G3460

PIXMA G1411

PIXMA G1420

PIXMA G2411

PIXMA G2420

PIXMA G3420

PIXMA G3411

PIXMA G2460

PIXMA G3460

PIXMA G4510

Live for the story_

¹ Page yield of ink bottle used for initial setup is lower than a replacement as a certain amount of ink is used to fill the print head during setup. Page yield is the estimated value based on Canon's individual test method using the ISO/IEC 24712 colour chart and continuous printing simulation with the replacement ink bottles after initial setup. Black and colour page yields are not to be combined. Page yield varies significantly depending on contents printed and other factors.

TECHNICAL SPECIFICATIONS

PIXMA G2460

GENERAL SPECIFICATIONS		Copy Functions	Document Copying, Photo Copying, Borderless copy, 2-on-1 and 4-on-1 copy, Frame erase copy, ID copy
Functions	High Speed Print, Scan & Copy	Copy Zoom	25 - 400% (in 1% increments) Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5
PRINTER SPECIFICATIONS		GENERAL	
Print Resolution	Up to 4800 x 1200 dpi ^[1]	Display	Full Dot LCD
Print Technology	2 FINE Print Head (Black and Colour) Refillable ink tank printer approx. 10.8 ipm ^[2] approx. 6.0 ipm ^[2]	Display Languages	32 Languages Selectable: Japanese, English(mm & inch), German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovene, Turkish, Greek, Simplified Chinese, Traditional Chinese, Korean, Indonesian, Slovakian, Estonian, Latvian, Lithuanian, Ukrainian, Romanian, Bulgarian, Croatian, Vietnamese
Mono Print Speed		Standard Interface	Hi-Speed USB (USB B Port)
Colour Print Speed		Printer Features	Easy-PhotoPrint Editor Software ^[11]
Photo Print Speed	Borderless 10x15cm : Approx. TBD seconds ^[3]	OS Compatibility	Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. Printer driver, IJ Printer Assistant Tool and IJ Network Device Setup Utility are available with following OS. Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Borderless Printing	Yes A4, LTR, 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm), Square(127 mm x 127 mm), Card Size(91 mm x 55 mm) ^[4] Manual operation		Chrome OS
Two Sided Printing		Minimum System Requirements	Mac: OS X 10.12.6 ~ macOS 10.15 ^[12] Windows: 2.0GB or more Mac: 1.0GB or more Note: for bundled software installation. The necessary amount of hard disk space required. Display: 1024 x 768 XGA Printer Driver IJ Printer Assistant Tool Easy-PhotoPrint Editor (download)
CARTRIDGES AND YIELDS		Software Included	
Standard Ink Cartridges	GI-41 <PGBK> GI-41 <C> GI-41 <M> GI-41 <Y>	PHYSICAL FEATURES	
Cartridge Yield (Plain paper)	A4 colour documents printing ^[5] Black: 6,000 pages (Economy mode 7,600 pages) ^[6] Colour: 7,700 pages * Estimated supplemental yield	Weight	approx. 6.4 kg
Cartridge Yield (Photo print)	10x15cm colour photo printing ^[7] Colour: 2,200 photos * Estimated supplemental yield	Dimensions (W x D x H)	Approx. 445 x 330 x 167
PAPER SUPPORT		Acoustic Noise Levels	approx. 51.0dB(A) ^[13]
Paper Types	Plain Paper Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101), Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Envelope, Photo Paper Plus Semi-gloss (SG-201), Cardstock Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Dark Fabric Iron on Transfers (DF-101), Light Fabric Iron on Transfers (LF-101), Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)	Operating Temperature	5-35°C
Maximum Paper Input		Operating Humidity	10-90%RH (no dew condensation)
Paper Sizes	A4, A5, A6, B5, LTR, LGL, Executive (184.2 mm x 266.7 mm), Legal (215 mm x 345 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Envelopes DL, Envelopes COM10, Envelopes C5, Square (89 mm x 89 mm), Square (127 mm x 127 mm), Card Size(91 mm x 55 mm)	Power Source	AC 100-240V, 50/60Hz
Paper Weight	[Custom size] width 55 mm - 216 mm, length 89 mm - 1200 mm Rear Tray: Plain paper: 64 - 105 g/m ² Canon specialty paper: max paper weight : approx. 275 g/m ² (Photo Paper Plus Glossy II PP-201)	Power Consumption	Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (all ports connected): Approx. 0.6W Time to enter Standby mode: 11 minutes 4sec Copying: Approx. 15W ^[14] 0.1 kWh ^[15]
SCANNER SPECIFICATIONS		Typical Electricity Consumption	
Scanner Type	CIS flatbed photo and document scanner	Footnote:	
Scanner Resolution (Optical)	600 x 1200 dpi ^[8]	^[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch	
Line Scanning Speed	Colour: 3.5 ms/line(300dpi) Greyscale: 1.5 ms/line(300dpi) ^[9]	^[2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.	
Scanning Depth (Input / Output)	Colour: RGB each 16bit / 8bit Greyscale: 16 bit / 8 bit	^[3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.	
Maximum Document Size	A4/LTR	^[4] Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers	
COPIER SPECIFICATIONS		^[5] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.	
Copy Speed	sFCOT: Approx. TBD sec ^[10] sESAT: Approx. TBD sec ^[10]	^[6] The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed	
Multiple Copy	99 copies (max.)	^[7] Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.	
		^[8] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.	
		^[9] The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.	



Live for the story_

² Document print speeds are the averages of ESAT (Word, Excel, PDF) in Office Category Test for the default simplex mode, ISO/IEC 24734.

³ Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

³ The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed

TECHNICAL SPECIFICATIONS

PIXMA G2460

Footnote:

[10] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.

[11] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution.

[12] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

[13] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.

[14] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

[15] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2020

HIGH YIELD, ECONOMICAL PRINTING AT DEADLINE-BEATING SPEEDS

PIXMA G2460

Entry level, refillable ink tank multifunctional printer featuring fast print speeds and usability improvements – ideal for home, student or office use.

Sales Start Date: October/November 2020



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA G2460	4466C009AA	4549292167948	<Please fill in RRP>

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
Standard size			
GI-41PGBK	4528C001AA	4549292169522	<Please fill in RRP>
GI-41C	4543C001AA	4549292169768	<Please fill in RRP>
GI-41M	4544C001AA	4549292169782	<Please fill in RRP>
GI-41Y	4545C001AA	4549292169805	<Please fill in RRP>
Maintenance Cartridge			
MC-G02	4589C003AA	8714574667898	<Please fill in RRP>

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA G2460	4466C009AA	Individual	1	520.5	476	255.5	9.45	TBC
		Pallet (Upper)	16	1051	984	1032.5	152.87	TBC
		Pallet (Bottom)	20	1051	984	1289.5	190.66	TBC

What's in the box?

- PIXMA G2460
- 5 high yield ink bottles (2x Black and 1x C/M/Y)
- Print Heads
- Power cord
- Setup CD-ROM
- Manuals and other documents

Canon

Live for the story_